

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	15	(US-20030118054-\$ or US-20050058128-\$).did. or (US-5371495-\$ or US-5450074-\$ or US-6157643-\$ or US-6335930-\$ or US-6563819-\$ or US-6829237-\$ or US-5299317-\$ or US-5367518-\$ or US-5166926-\$ or US-5353283-\$ or US-5940389-\$ or US-6473827-\$ or US-6724779-\$).did.	US-PGPUB; USPAT	OR	ON	2007/03/15 21:49
L2	7	L1 and (self-rout\$3 or "self rout")	US-PGPUB; USPAT	OR	ON	2007/03/15 22:31
L3	1056	(self-rout\$3 or "self rout")	US-PGPUB; USPAT	OR	ON	2007/03/15 22:31
L4	321	L3 and (multi-cast or multicast or bi-cast or bicast)	US-PGPUB; USPAT	OR	ON	2007/03/15 22:32
L5	78	L4 and ((mult-stage or "multi stage") with switch)	US-PGPUB; USPAT	OR	ON	2007/03/15 22:33
L6	48	L5 and ((idle or empty) near2 (packet or frame or cell))	US-PGPUB; USPAT	OR	ON	2007/03/15 22:33

Thu, 15 Mar 2007, 8:18:50 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Search Query Display

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Recent Search Queries

- #1 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #2 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #3 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #4 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #5 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #6 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #7 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #8 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #9 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #10 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #11 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #12 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #13 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #14 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #15 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #16 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))
- #17 ((self-routing<in>metadata) <or> (~~self routing~~<in>metadata))

